

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S40	1743	trie with rout\$4	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/05/21 09:37
S41	49	(trie with rout\$4) same (consecutive or identical)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/05/21 09:37
S43	173	trie with (rout\$4 adj table)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/05/21 09:38
S45	47	(trie adj tree) same rout\$4	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/05/21 09:41
S46	21	((consecutive or identical) near3 (symbol or stage or stride)) same trie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S47	9	((consecutive or identical) near3 (symbol or stage or stride)) and (trie adj tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S48	63	(consecutive or identical) and (trie adj tree) and (@ad<"20040416" or @rlad<"20040416")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S49	19	((run adj length) or ((consecutive or identical) adj symbol)) same table) same (trie or (rout\$4 adj table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S50	2	((consecutive or identical) adj symbol) same table) same (trie or (rout\$4 adj table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41

S51	29	((consecutive or identical) adj symbol) same table) and (trie or (rout\$4 adj table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S52	18	((run adj length) with table) and (trie or (rout\$4 adj table)).ab,bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S53	4121	709/238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S54	6	S53 and (trie adj tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S55	9	(switch adj fabric) same ((router adj node) or sub? router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S56	63	(consecutive or identical) and (trie adj tree) and (@ad<"20040416" or @rlad<"20040416")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S57	19	((run adj length) or ((consecutive or identical) adj symbol)) same table) same (trie or (rout\$4 adj table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S58	2	((consecutive or identical) adj symbol) same table) same (trie or (rout\$4 adj table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41

S59	29	((consecutive or identical) adj symbol) same table) and (trie or (rout\$4 adj table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S60	18	((run adj length) with table) and (trie or (rout\$4 adj table)).ab,bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S61	14	((run adj length) or ((consecutive or identical) adj symbol)) same table) and (trie or (rout\$4 adj table)).ab,bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S62	4121	709/238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S63	6	S62 and (trie adj tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S64	9	(switch adj fabric) same ((router adj node) or sub? router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S65	15	(S56 S57 S58 S59 S60 S61 S63 S64) and @pd> "20080218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/21 09:41
S66	6	(S45 S46 S47 S48 S49 S50 S51 S52 S54 S55 S65) and @pd> "20090202"	US-PGPUB; USPAT; EPO	OR	ON	2009/05/21 09:41
S67	38	(trie with rout\$4) same (consecutive or identical) and (@ad< "20040416" or @rlad< "20040416")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/05/21 14:34
S68	136	trie with (rout\$4 adj table) and (@ad< "20040416" or @rlad< "20040416")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/05/21 15:00

S69	87	(trie with (rout\$4 adj table)) same3 (consecutive or identical or "same" or match \$3) and (@ad<"20040416" or @rlad<"20040416")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/05/21 17:39
S70	102	(trie with ((rout\$4 or forward \$3) adj table)) same3 (consecutive or identical or "same" or match\$3) and (@ad<"20040416" or @rlad<"20040416")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/05/21 17:42
S71	140	(trie same ((rout\$4 or forward\$3) adj table)) same3 (consecutive or identical or "same") and (@ad<"20040416" or @rlad<"20040416")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/05/21 17:43
S72	28	(trie same ((rout\$4 or forward\$3) adj table)) same3 (consecutive or identical) and (@ad<"20040416" or @rlad<"20040416")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/05/21 17:44

5/ 21/ 09 10:16:08 PM

C:\ Documents and Settings\ rscheibel\ My Documents\ EAST\ Workspaces\ 10826158 -  
Forwarding Table Searches Using Consec Symbol Tables.wsp